



Punjab Government Gazette

Published by Authority

No. 37] CHANDIGARH, FRIDAY, SEPTEMBER 13, 2019 (BHADRA 22, 1941 SAKA)

PART III

Notifications by High Court ; Labour Commissioner ; Advertisements ;
Director of Lotteries, Punjab and Notices, etc.



Punjab State Power Corporation Limited

(Regd. Office: PSEB Head Office, The Mall, Patiala)

Office of Chief Engineer /Transmission System

B-1, Shakti Vihar, Patiala.

Corporate Identity Number (CIN) U40109PB2010SGC033813

NOTIFICATION

The 2nd September, 2019

No. 71/TSN-207/Vol-VIII.-It is hereby notified that Punjab State Power Corporation Ltd. (here-in-after called the PSPCL) proposes to undertake the following schemes/transmission works necessary for the dispersal/distribution of power for the improvement of the transmission and distribution system of the Punjab State Power Corporation Ltd.

66KV TRANSMISSION WORKS FOR THE YEAR 2019-20

Sr. No.	Name of Work indicating the villages/localities over which the line is to pass	Approx. Length of line in Kms.	Size of conductor/ Cable (sq. mm)	Approx. Cost (Rs. in Lacs)
1.	Shifting of HT Line Shehzada Kalan- Kassowal over Bridge under construction on Ravi River at Kassowal (Village- Shehzada Kalan, Kassowal) .	0.790 Ckt. KM	7/2.24 mm	10
2.	66 kV Line from Behram to Dosanjh Kalan SC on DC towers (Village- Behram, Talwandi Jattan, Chak Guru, Chak Mai Dass, Bhara Majra, Sarhala, Nanomajra- Lehal Kalan, Aniher, Dosanjh Kalan).	6.959 Ckt. KM	200 sq. mm	138
3.	66 kV Line from 220 kV Dasuya - 66 kV Miani SC on DC (Replacement of Existing HRP line)(Village- Dasuya, Dugri, Basoa, Gilzan, Miani) .	18.702 Ckt. KM	200 sq. mm	372

4.	66 kV Bhogpur-Kandhala Jattan Line T-off for 66 KV S/S Kalyanpur SC on DC towers (Village- Patialan, Chak Shakur, Mokal, Kalyanpur)	4.255 Ckt. KM	200 sq. mm	85
5.	Shifting of 66 kV Kartarpur-Hamira HRP Line within the premises of Bhandal Resort, Dyalpur (Near the premises of Bhandal Resort, Dyalpur)	0.352 Ckt. KM	150 sq. mm	5
6.	66 kV SC on DC Tower T-off line from 220 kV Handiaya 66 kV Thikriwal line at 66 kV S/S Kala Mehar (Village-Kala Mehar)	0.210 Ckt. KM	200 sq. mm	5
7.	66 kV SC line on DC towers from 66 kV Cheema to 66 kV S/S Hiro Kalan (Village-Cheema, Shahpur, Jharon, Hiro Kalan)	8.930 Ckt. KM	200 sq. mm	177
8.	66 kV SC on DC line from 66 kV S/S Karoda to 66 kV S/S Banarsi (Village- Karouda, Chathe, Baupur, Banarsi).	6.417 Ckt. KM	200 sq. mm	128
9.	66 kV SC on DC line from 66 kV S/S Loha Khera to 66 kV S/S Longowal (Village-Loha Khera, Mander Kalan, Longowal)	9.020 Ckt. KM	200 sq. mm	180
10.	66 kV SC line on DC towers from Sandhwan to Faridkot from TL no. 27 to TL no. 36. (Revised) (Green avenue colony Faridkot, old city Faridkot)	2.244 Ckt. KM	200 sq. mm	45
11.	66 kV Sandhwan to Kotkapura DC on DC line. (Revised) (Focal Point Kotakpura)	U/G Cable 0.152 Ckt. KM (Double Circuit)	240 mm ²	72

It is hereby notified that the PSPCL is undertaking and executing the sanctioned scheme and shall have the powers for placing of any Towers, Wires, Poles, Stays, Apparatus and Appliances for the Transmission and Distribution of Electricity or for Transmission of telegraphic or telephonic communications necessary for proper coordination of the works of PSPCL for the areas indicated above which the telegraph authority possess under Part-III of the Telegraphs Act. 1885 (XIII of 1885) in respect of telegraphs established or maintained and the provisions of section 164 of the Indian Electricity Act 2003 shall not apply to the same and therefore no separate notice of the scheme of PSPCL is required to be given.

This notification has been issued in respect of the provisions made under Section 164 of the Indian Electricity Act 2003 and Govt. of Punjab, Dept. of Power order no. S/O. 46/C.A. 36/2003/S.164/2013 dt 19-6-2013 where in powers of Telegraph authority under part-III of the Indian Telegraph act, 1885 (Central Act no.13 of 1885) have been decided to be vested and exercised on PSPCL. Notice is hereby given that any person may raise objection if any/and or make any representation against the above scheme/transmission works within two month of issue of this notification. Thereafter no objection and or representation will be entertained and all schemes/transmission works will be deemed to be sanctioned with or without modifications as approved by the PSPCL. Necessary plans showing the tentative route of the Transmission Lines may be seen on any working day in the office of Dy. CE/TL, PSPCL, Jalandhar/Patiala. Objections and/or representations in respect of the above schemes if any should be sent to the undersigned.

The above works have been planned to augment / add 66 kV transmission network in the state of Punjab so as to ensure quality and uninterrupted power supply to all type of existing/prospective electricity consumers of the state. These works are urgently required for ensuring quality power supply to the electricity consumers.

Sd/-

Dy. CE /Trans. Lines (D),
PSPCL, Patiala.

Sd/-

Chief Engineer/TS,
Pb. State Power Corp. Ltd.
B-1, Shakti Vihar, Patiala.


Punjab State Power Corporation Limited

(ਰਜਿਸਟਰਡ ਆਫਿਸ ਪੰ:ਰਾ:ਬਿ:ਬੋ:ਹੈਡ ਆਫਿਸ ਬਿਲਡਿੰਗ ਦੀ ਮਾਲ, ਪਟਿਆਲਾ)

ਦਫਤਰ : ਮੁੱਖ ਇੰਜੀਨੀਅਰ / ਟੀ.ਐਸ., ਬੀ-1, ਸ਼ਕਤੀ ਵਿਹਾਰ, ਪਟਿਆਲਾ

ਕਾਰਪੋਰੇਟ ਆਈਡੈਂਟਿਟੀ ਨੰ: (CIN) U40109PB2010SGC033813

ਨੋਟੀਫਿਕੇਸ਼ਨ

ਮਿਤੀ 2 ਸਤੰਬਰ, 2019

ਨੰ: 71/ਟੀ.ਐਸ.ਐਨ-207/Vol-VIII.—ਇਹ ਦੱਸਿਆ ਜਾਂਦਾ ਹੈ ਕਿ ਪੰਜਾਬ ਰਾਜ ਪਾਵਰ ਕਾਰਪੋਰੇਸ਼ਨ ਲਿਮਟਿਡ (ਜਿਸ ਨੂੰ ਹੁਣ ਪੀ.ਐਸ.ਪੀ.ਸੀ.ਐਲ ਕਿਹਾ ਜਾਵੇਗਾ) ਵਲੋਂ ਨਿਮਨਲਿਖਤ ਸਕੀਮਾਂ/ਟਰਾਂਸਮਿਸ਼ਨ ਦੇ ਕੰਮ ਸ਼ੁਰੂ ਕਰਨ ਦਾ ਪ੍ਰਸਤਾਵ ਹੈ, ਜਿਹੜੀਆਂ ਪੰਜਾਬ ਰਾਜ ਪਾਵਰ ਕਾਰਪੋਰੇਸ਼ਨ ਲਿਮਟਿਡ ਦੇ ਸੰਚਾਲਣ ਅਤੇ ਵੰਡ ਵਿੱਚ ਸੁਧਾਰ ਕਰਨ ਲਈ ਬਿਜਲੀ ਦੀ ਡਿਸਪਰਸਲ /ਵੰਡ ਲਈ ਜ਼ਰੂਰੀ ਹਨ।

66 ਕੇਵੀ ਲਾਈਨਾਂ ਦੇ ਕੰਮ ਬਾਬਤ ਸਾਲ 2019-20

ਲੜੀ ਨੰ:	ਕੰਮ ਦਾ ਨਾਮ ਸਮੇਤ ਪਿੰਡ/ਬਸਤੀਆਂ ਥਾਵਾਂ ਜਿੱਥੋਂ ਲਾਈਨ ਨੇ ਲੰਘਣਾ ਹੈ	ਅੰਦਾਜ਼ਨ ਲਾਈਨ ਦੀ ਲੰਬਾਈ ਕਿ:ਮੀ:ਵਿੱਚ	ਸਾਈਜ਼ ਆਫ ਕੰਡਕਟਰ/ਕੋਬਲ (sq.mm)	ਅੰਦਾਜ਼ਨ ਕੀਮਤ (ਲੱਖਾਂ ਵਿੱਚ)
1.	ਸਿਫਟਿੰਗ ਆਫ ਐਚ.ਟੀ. ਲਾਈਨ ਸ਼ਹਿਜ਼ਾਦਾ ਕਲਾਂ-ਕੱਸੇਵਾਲ ਓਵਰ ਬਰਿਜ ਅੰਡਰ ਕੰਨਸਟਰਕਸ਼ਨ ਆਨ ਰਾਵੀ ਰਿਵਰ ਐਟ ਕੱਸੇਵਾਲ (ਪਿੰਡ ਸ਼ਹਿਜ਼ਾਦਾ ਕਲਾਂ, ਕੱਸੇਵਾਲ)।	0.790Ckt. KM	2.24mm	10
2.	66 ਕੇ.ਵੀ. ਲਾਈਨ ਫਰਾਮ ਬਹਿਰਾਮ ਟੂ ਦੋਸਾਂਝ ਕਲਾਂ ਐਸ.ਸੀ. ਆਨ ਡੀ.ਸੀ. ਟਾਵਰਜ਼ (ਪਿੰਡ: ਬਹਿਰਾਮ, ਤਲਵੰਡੀ ਜੱਟਾਂ, ਚੱਕ ਗੁਰੂ, ਚੱਕ ਮਾਈਦਾਸ, ਭਰੋ ਮਾਜਰਾ, ਸਰਹਾਲਾ, ਨਾਨੋਮਾਜਰਾ, ਲਹਿਲ ਕਲਾਂ, ਅਨੀਹਰ, ਦੋਸਾਂਝ ਕਲਾਂ)।	6.959Ckt. KM	200sq. mm	138
3.	66 ਕੇ.ਵੀ. ਲਾਈਨ ਫਰਾਮ 220 ਕੇ.ਵੀ. ਦਸੂਹਾ-66 ਕੇ.ਵੀ. ਮਿਆਣੀ ਐਸ.ਸੀ. ਆਨ ਡੀ.ਸੀ. (ਰਿਪਲੇਸਮੈਂਟ ਆਫ ਐਗਜ਼ਿਸਟਿੰਗ ਐਚ.ਆਰ.ਪੀ. ਲਾਈਨ) (ਪਿੰਡ- ਦਸੂਆ, ਡੁਗਰੀ, ਬਸੋਆ, ਗਿਲਜਾਨ, ਮਿਆਣੀ)।	18.702Ckt. KM	200sq. mm	372
4.	66 ਕੇ.ਵੀ. ਭੋਗਪੁਰ-ਕੰਧਾਲਾ ਜੱਟਾਂ ਲਾਈਨ ਟੀ-ਆਫ ਫਾਰ 66 ਕੇ.ਵੀ. ਸਬ-ਸਟੇਸ਼ਨ ਕਲਿਆਣਪੁਰ ਐਸ.ਸੀ. ਆਨ ਡੀ.ਸੀ. ਟਾਵਰਜ਼ (ਪਿੰਡ- ਪਟਿਆਲਾ, ਚੱਕ ਸ਼ਾਕੁਰ, ਮੋਕਲ, ਕਲਿਆਣਪੁਰ)।	4.255Ckt. KM	200sq. mm	85
5.	ਸਿਫਟਿੰਗ ਆਫ 66 ਕੇ.ਵੀ. ਕਰਤਾਰਪੁਰ-ਹਮੀਰਾ ਐਚ.ਆਰ.ਪੀ. ਲਾਈਨ ਵਿਦਇੰਨ ਦੀ ਪ੍ਰੀਮਾਇਸਜ਼ ਆਫ ਭੰਡਾਲ ਰਿਜ਼ੋਰਟ, ਦਿਆਲਪੁਰ (ਨੇੜੇ ਪ੍ਰੀਮਾਇਸਜ਼ ਆਫ ਭੰਡਾਲ ਰਿਜ਼ੋਰਟ, ਦਿਆਲਪੁਰ)।	0.352Ckt. KM	150sq. mm	5
6.	66 ਕੇ.ਵੀ. ਐਸ.ਸੀ. ਆਨ ਡੀ.ਸੀ. ਟਾਵਰਜ਼ ਟੀ-ਆਫ ਲਾਈਨ ਫਰਾਮ 220 ਕੇ.ਵੀ. ਹੰਡਿਆਇਆ 66 ਕੇ.ਵੀ. ਠੀਕਰੀਵਾਲ ਲਾਈਨ ਐਟ 66 ਕੇ.ਵੀ. ਸਬ-ਸਟੇਸ਼ਨ ਕਾਲਾ ਮੇਹਰ (ਪਿੰਡ- ਕਾਲਾ ਮੇਹਰ)।	0.210Ckt. KM	200sq. mm	5
7.	66 ਕੇ.ਵੀ. ਐਸ.ਸੀ. ਲਾਈਨ ਆਨ ਡੀ.ਸੀ. ਟਾਵਰਜ਼ ਫਰਾਮ 66 ਕੇ.ਵੀ. ਚੀਮਾ ਟੂ 66 ਕੇ.ਵੀ. ਸਬ-ਸਟੇਸ਼ਨ ਹੀਰੋ ਕਲਾਂ (ਪਿੰਡ-ਚੀਮਾ, ਸ਼ਾਹਪੁਰ, ਝਾੜੋਂ, ਹੀਰੋ ਕਲਾਂ)।	8.930Ckt. KM	200sq. mm	177
8.	66 ਕੇ.ਵੀ. ਐਸ.ਸੀ. ਆਨ ਡੀ.ਸੀ. ਲਾਈਨ ਫਰਾਮ 66 ਕੇ.ਵੀ. ਸਬ-ਸਟੇਸ਼ਨ ਕਰੋਦਾ ਟੂ 66 ਕੇ.ਵੀ. ਸਬ-ਸਟੇਸ਼ਨ ਬਨਾਰਸੀ (ਪਿੰਡ-ਕਰੋਦਾ, ਚੱਠੇ, ਬੋਪੁਰ, ਬਨਾਰਸੀ)।	6.417Ckt. KM	200sq. mm	128

9.	66 ਕੇ.ਵੀ. ਐਸ.ਸੀ. ਆਨ ਡੀ.ਸੀ. ਲਾਈਨ ਫਰਾਮ 66 ਕੇ.ਵੀ. ਸਬ-ਸਟੇਸ਼ਨ ਲੋਹਾ ਖੇੜਾ ਟੂ 66 ਕੇ.ਵੀ. ਸਬ-ਸਟੇਸ਼ਨ ਲੋਗੋਵਾਲ (ਪਿੰਡ-ਲੋਹਾ ਖੇੜਾ, ਮੰਦਰ ਕਲਾਂ, ਲੋਗੋਵਾਲ)।	9.020 Ckt.KM	200sq.mm	180
10.	66 ਕੇ.ਵੀ. ਐਸ.ਸੀ. ਆਨ ਡੀ.ਸੀ. ਟਾਵਰਜ਼ ਫਰਾਮ ਸੰਧਵਾਂ ਤੋਂ ਫਰੀਦਕੋਟ ਫਰਾਮ ਟੀ.ਐਲ. ਨੰ: 27 ਤੋਂ ਟੀ.ਐਲ. 36 (ਰਿਵਾਇਜ਼ਡ) (ਗਰੀਨ ਐਵੀਨਿਊ ਕਲੋਨੀ ਫਰੀਦਕੋਟ, ਓਲਡ ਸਿਟੀ ਫਰੀਦਕੋਟ)।	2.244 Ckt.KM	200sq.mm	45
11.	66 ਕੇਵੀ ਸੰਧਵਾਂ ਤੋਂ ਕੋਟਕਪੂਰਾ ਡੀ.ਸੀ. ਆਨ ਡੀ.ਸੀ. ਲਾਈਨ (ਰਿਵਾਇਜ਼ਡ) (ਫੋਕਲ ਪੁਆਇੰਟ ਕੋਟਕਪੂਰਾ)।	U/G Cable 0.152 Ckt.KM (Double Circuit)	240mm ²	72

ਇਹ ਦੱਸਿਆ ਜਾਂਦਾ ਹੈ ਕਿ ਪੀ.ਐਸ.ਪੀ.ਸੀ.ਐਲ. ਉਕਤ ਦੱਸੀ ਮੰਨਜ਼ੂਰ ਸਕੀਮ ਦੇ ਅਧੀਨ ਲੋੜੀਂਦੀ ਟਰਾਂਸਮਿਸ਼ਨ ਲਾਈਨ ਅਤੇ ਦੂਰ ਸੰਚਾਰ ਨੈੱਟ ਵਰਕਸ ਦੇ ਕੰਮ ਲਈ ਜਰੂਰੀ ਟਾਵਰਜ਼, ਪੋਲਜ਼, ਵਾਇਰਜ਼, ਸਟੇਅਜ਼ (ਖਿੱਚਾਂ) ਅਤੇ ਹੋਰ ਸਾਜ਼ ਸਮਾਨ ਲਗਾਉਣਾ ਚਾਹੁੰਦਾ ਹੈ ਜਿਹੜਾ ਕਿ ਉਕਤ ਦੱਸੀਆਂ ਥਾਵਾਂ ਤੇ ਬਿਜਲੀ ਦੀ ਟਰਾਂਸਮਿਸ਼ਨ ਅਤੇ ਵੰਡ, ਟੈਲੀਗਰਾਫਿਕ ਜਾਂ ਪੀ.ਐਸ.ਪੀ.ਸੀ.ਐਲ. ਦੇ ਆਪਸੀ ਤਾਲਮੇਲ ਲਈ ਦੂਰ ਸੰਚਾਰ ਨੈੱਟਵਰਕਸ ਲਈ ਜਰੂਰੀ ਹਨ। ਇਸ ਲਈ ਪੀ.ਐਸ.ਪੀ.ਸੀ.ਐਲ.ਉਨ੍ਹਾਂ ਅਧਿਕਾਰਾਂ ਦੀ ਵਰਤੋਂ ਕਰੇਗਾ, ਜਿਹੜੇ ਟੈਲੀਗਰਾਫਿਕ ਅਥਾਰਟੀਜ਼ ਟੈਲੀਗਰਾਫਿਕ ਐਕਟ-1885 (XIII- ਆਫ 1885) ਦੇ ਪਾਰਟ-3 ਅਧੀਨ ਟੈਲੀਗਰਾਫਜ਼ ਨੂੰ ਸਥਾਪਿਤ ਅਤੇ ਮੇਨਟੇਨ ਰੱਖਣ ਲਈ ਕਰਦੀਆਂ ਹਨ। ਇਸ ਲਈ ਇੰਡੀਅਨ ਇਲੈਕਟ੍ਰੀਸਿਟੀ ਐਕਟ -2003 ਦਾ ਸੈਕਸ਼ਨ 164 ਲਾਗੂ ਨਹੀਂ ਹੁੰਦਾ ਅਤੇ ਪੀ.ਐਸ.ਪੀ.ਸੀ.ਐਲ. ਦੀ ਸਕੀਮ ਲਈ ਕੋਈ ਵੱਖਰਾ ਨੋਟਿਸ ਦੇਣ ਦੀ ਲੋੜ ਨਹੀਂ।

ਇਹ ਨੋਟੀਫਿਕੇਸ਼ਨ ਬਿਜਲੀ ਐਕਟ-2003 ਦੀ ਸੈਕਸ਼ਨ 164 ਦੀਆਂ ਨਵੀਆਂ ਧਾਰਾਵਾਂ ਮੁਤਾਬਿਕ ਜਾਰੀ ਕੀਤੀ ਜਾਂਦੀ ਹੈ ਜਾਂ ਓਵਰ ਰਾਈਡਿੰਗ ਇਨੈਕਟਮੈਂਟ ਜੋ ਕੋਈ ਹੋਵੇ ਅਤੇ ਪਾਵਰ ਡਿਪਾਰਟਮੈਂਟ, ਪੰਜਾਬ ਸਰਕਾਰ ਦੇ ਹੁਕਮ ਨੰ: S/O. 46/C.A. 36 /2003/S.164/2013 dt. 19-6-2013 ਅਨੁਸਾਰ ਇੰਡੀਅਨ ਟੈਲੀਗਰਾਫ ਐਕਟ-1885 (ਸੈਂਟਰਲ ਐਕਟ 13 ਆਫ 1885) ਦੇ ਪਾਰਟ 3 ਅਧੀਨ ਟੈਲੀਗਰਾਫ ਅਥਾਰਟੀ ਦੀਆਂ ਪਾਵਰਜ਼ ਪੀ.ਐਸ.ਪੀ.ਸੀ.ਐਲ. ਨੂੰ ਦਿੱਤੀਆਂ ਗਈਆਂ ਹਨ। ਇਸ ਸਬੰਧੀ ਨੋਟਿਸ ਜਾਰੀ ਕੀਤਾ ਜਾਂਦਾ ਹੈ ਕਿ ਜੇ ਕਿਸੇ ਵਿਅਕਤੀ ਨੂੰ ਉਪਰੋਕਤ ਸਕੀਮ/ਟਰਾਂਸਮਿਸ਼ਨ ਲਾਈਨਾਂ ਦੇ ਕੰਮਾਂ ਸਬੰਧੀ ਕੋਈ ਇਤਰਾਜ਼ ਹੋਵੇ ਤਾਂ ਉਹ ਆਪਣੀ ਪ੍ਰਤੀ ਵੇਦਨਾ ਇਸ ਨੋਟੀਫਿਕੇਸ਼ਨ ਦੇ ਜਾਰੀ ਹੋਣ ਤੋਂ 2 ਮਹੀਨੇ ਦੇ ਅੰਦਰ-ਅੰਦਰ ਦੇ ਸਕਦਾ ਹੈ। ਇਸ ਤੋਂ ਬਾਅਦ ਕੋਈ ਇਤਰਾਜ਼ ਜਾਂ ਪ੍ਰਤੀ ਵੇਦਨਾ ਸਵੀਕਾਰ ਨਹੀਂ ਕੀਤੀ ਜਾਵੇਗੀ ਅਤੇ ਸਾਰੀ ਸਕੀਮ/ਟਰਾਂਸਮਿਸ਼ਨ ਲਾਈਨਾਂ ਦੇ ਕੰਮ ਬਿਨਾਂ ਕੋਈ ਸੋਧ ਕੀਤੇ ਜਾਂ ਸੋਧ ਕਰਕੇ ਪੀ.ਐਸ.ਪੀ.ਸੀ.ਐਲ. ਦੀ ਮੰਨਜ਼ੂਰੀ ਮੁਤਾਬਿਕ ਲਾਗੂ ਮੰਨੇ ਜਾਣਗੇ। ਇਸ ਸਿਲਸਿਲੇ ਵਿੱਚ ਲੋੜੀਂਦੇ ਆਰਜ਼ੀ ਪਲਾਨ ਜਿਨ੍ਹਾਂ ਵਿੱਚ ਟਰਾਂਸਮਿਸ਼ਨ ਲਾਈਨਾਂ ਦੇ ਰਸਤੇ ਵਿਖਾਏ ਗਏ ਹਨ, ਕਿਸੇ ਵੀ ਕੰਮਕਾਰ ਵਾਲੇ ਦਿਨ ਉਪ ਮੁੱਖ ਇੰਜੀਨੀਅਰ/ਟੀ.ਐਲ., ਪੀ.ਐਸ.ਪੀ.ਸੀ.ਐਲ., ਜਲੰਧਰ/ਪਟਿਆਲਾ ਦੇ ਦਫਤਰ ਵਿੱਚ ਵੇਖੇ ਜਾ ਸਕਦੇ ਹਨ। ਉਪਰੋਕਤ ਸਕੀਮਾਂ ਸਬੰਧੀ ਜੋ ਕੋਈ ਇਤਰਾਜ਼ ਅਤੇ ਪ੍ਰਤੀ ਵੇਦਨਾ ਹੋਵੇ ਤਾਂ ਨਿਮਨਹਸਤਾਖਰ ਨੂੰ ਭੇਜੇ ਜਾਣ।

ਉਪਰੋਕਤ ਕੰਮ ਪੰਜਾਬ ਰਾਜ ਦੇ 66 ਕੇਵੀ ਟਰਾਂਸਮਿਸ਼ਨ ਨੈੱਟਵਰਕ ਵਿੱਚ ਵਾਧਾ/ ਸਮਰੱਥਾ ਵਧਾਉਣ ਦੇ ਮੰਤਵ ਕਰਕੇ ਪਲਾਨ ਕੀਤੇ ਗਏ ਹਨ ਤਾਂ ਜੋ ਰਾਜ ਦੇ ਸਾਰੇ ਤਰ੍ਹਾਂ ਦੇ ਮੌਜੂਦਾ/ਸੰਭਾਵੀ ਬਿਜਲੀ ਖਪਤਕਾਰਾਂ ਨੂੰ ਨਿਰਵਿਘਨ ਅਤੇ ਵਧੀਆ ਬਿਜਲੀ ਸਪਲਾਈ ਦਿੱਤੀ ਜਾ ਸਕੇ। ਇਹ ਕੰਮ ਬਿਜਲੀ ਖਪਤਕਾਰਾਂ ਨੂੰ ਮਿਆਰੀ ਪਾਵਰ ਸਪਲਾਈ ਯਕੀਨੀ ਬਣਾਉਣ ਲਈ ਅਤਿਅੰਤ ਲੋੜੀਂਦੇ ਹਨ।

ਸਹੀ/-

ਉਪ ਮੁੱਖ ਇੰਜੀ./ਟਰਾਂਸਮਿਸ਼ਨ ਲਾਈਨ(ਡ),
ਪੀ.ਐਸ.ਪੀ.ਸੀ.ਐਲ.
ਬੀ-1, ਸ਼ਕਤੀ ਵਿਹਾਰ, ਪਟਿਆਲਾ।

ਸਹੀ/-

ਮੁੱਖ ਇੰਜੀਨੀਅਰ/ਟੀ.ਐਸ.,
ਪੀ.ਐਸ.ਪੀ.ਸੀ.ਐਲ.,
ਬੀ-1, ਸ਼ਕਤੀ ਵਿਹਾਰ, ਪਟਿਆਲਾ।